
1/7 J. JANAKIRAMAN ET AL. AUS920010095US1



2/7 J. Janakiraman et al. AUS920010095US1




Fig. 1B

3/7 J. Janakiraman et al. AUS920010095US1 238 NETWORK 234 Fig. 2 COMMUNICATIONS ADAPTER DISPLAY ADAPTER 236 I/O ADAPTER <u>218</u> USER INTERFACE ADAPTER <u>222</u> RAM 214 242 Braille Display ROM <u>216</u> 200 224 CPU 212 —

4/7 J. Janakiraman et al. AUS920010095US1

+




Fig. 3


5/7 J. JANAKIRAMAN ET AL. AUS920010095US1

 $\begin{array}{c|cccc}
402 \\
\hline
<X> & <Y> \\
\hline
X_1 & Y_1 \\
X_2 & Y_2 \\
X_3 & Y_3 \\
\vdots & \vdots \\
\end{array}$

 X_n


Fig. 4

+



Yn

6/7 J. JANAKIRAMAN ET AL. AUS920010095US1



7/7 J. Janakiraman et al. AUS920010095US1

CRITICAL FACTORS

F ₁	MAX (PERIOD)
F ₂	MIN (PERIOD)
F ₃	Break Above Moving Average
F ₄	BREAK BELOW MOVING AVERAGE
F ₅	Greatest (least) Slope
	:
Fj	

Fig. 6

ANALYSIS ENGINE

MODE	Analysis	CRITICAL FACTOR
C ₁	P1: COMPARE PRICE DATA WITH N-DAY MOVING AVERAGE	F4
C ₂	P2: OUTPUT GREATEST SLOPE	F5
	•	
C_ℓ		

Fig. 8